



LED EXTRUSIONS & STRIP LIGHTING JULY 2026

STRIP LIGHTING

EXTRUSIONS

DRIVERS

ACCESSORIES

ST001



Type: SMD Strip Lighting - 7.2w

- Led Strip: 10mm
- IP: 20 or 65
- Led: 60x2835 per/m
- Power: 7.2w per/m
- CRI: > 80
- Cutting: 100mm
- Voltage: 24vdc
- CCT: 3000k; 3500k; 4000k; 5000k; 6000k
- Length: 5m
- Warranty 3 or 5 years

IP20

	Price	Unit
5m	R275	5m Length
metre	R55	/metre

IP65

	Price	Unit
5m	R325	5m Length
metre	R65	/metre

ST002



Type: SMD Strip Lighting - 14.4w

- Led Strip: 10mm
- IP: 20 or 65
- Led: 120x2835 per/m
- Power: 14.4w per/m
- CRI: > 90
- Cutting: 50mm
- Voltage: 24vdc
- CCT: 3000k; 3500k; 4000k; 5000k; 6000k
- Length: 5m
- Warranty 3 or 5 years

IP20

	Price	Unit
5m	R400	5m Length
metre	R80	/metre

IP65

	Price	Unit
5m	R450	5m Length
metre	R90	/metre

ST003



Type: SMD Strip Lighting - 24w

- Led Strip: 8mm
- IP: 20
- Led: 200x2835 per/m
- Power: 24w per/m
- CRI: > 80
- Cutting: 5mm
- Voltage: 24vdc
- CCT: 3000k; 4000k; 5000k; 6000k
- Length: 5m Length
- Warranty 3 or 5 years
- Lumen Output > 160LM/W

IP20

	Price	Unit
5m	R800	5m Length
metre	R160	/metre

ST008



Type: SMD Strip Lighting - 9w - DC36V

- Led Strip: 10mm
- IP: 65
- Led: 120x2835 per/m
- Power: 9w per/m
- CRI: > 80
- Cutting: 5mm
- Voltage: DC 36v
- CCT: 6000k
- Length: 5m
- Size: 16*7mm
- Warranty 3 or 5 years
- Lumen Output > 900LM/W $m \pm 5\%$,

IP65

	Price	Unit
5m	R	5m Length
metre	R	/metre

ST004



Type: Cob Strip Lighting - 2w

- Led Strip: 8mm
- IP: 20 or 65
- Led: 480 per/m
- Power: 2w per/m
- CRI: > 80
- Cutting: 50mm
- Voltage: 24vdc
- Colour: Red; Green; Blue; Amber
- Length: 5m
- Warranty 3 or 5 years

IP20

	Price	Unit
5m	R500	5m Length
metre	R100	/metre

IP65

	Price	Unit
5m		5m Length
metre		/metre

ST007



Type: Cob Strip Lighting - 7w

- Led Strip: 5mm
- IP: 20 or 65
- Led: 480 per/m
- Power: 7w per/m
- CRI: > 90
- Cutting: 50mm
- Voltage: 24vdc
- CCT: 3000k; 4000k; 6500k
- Length: 10m
- Warranty 3 or 5 years

IP20

	Price	Unit
5m	R325	5m Length
metre	R65	/metre

IP65

	Price	Unit
5m	R550	5m Length
metre	R90	/metre

ST011



Type: Cob Strip Lighting - 10w

- Led Strip: 8mm
- IP: 20 or 65
- Led: 480 per/m
- Power: 10w per/m
- CRI: > 80
- Cutting: 50mm
- Voltage: 24vdc
- CCT: 3000k; 3500k; 4000k; 5000k; 6000k
- Length: 10m Length
- Running meter 5
- Warranty 3 or 5 years

IP20

	Price	Unit
5m	R325	5m Length
metre	R65	/metre

IP65

	Price	Unit
5m	R450	5m Length
metre	R90	/metre

ST005



Type: Cob Strip Lighting - 14.4w

- Led Strip: 8mm
- IP: 20 or 65
- Led: 480 per/m
- Power: 14.4w per/m
- CRI: > 80
- Cutting: 50mm
- Voltage: 24vdc
- CCT: 3000k; 3500k; 4000k; 5000k; 6000k
- Length: 10m Length
- Running meter 5
- Warranty 3 or 5 years

IP20

	Price	Unit
5m		5m Length
metre		/metre

IP65

	Price	Unit
5m	R	5m Length
metre		/metre

ST006



Type: **Free Cut Cob Strip LED 10w**

- Led Strip: 10mm
- IP: 20 or 65
- Led: 480 per/m
- Power: 10w per/m
- CRI: > 90
- Cutting: 0mm
- Voltage: 24vdc
- CCT: 3000k; 3500k; 4000k; 5000k; 6000k
- Length: 20m
- Warranty 5 years

IP20		
	Price	Unit
5m	R0	5m Length
metre	R0	/metre

IP65		
	Price	Unit
5m	R0	5m Length
metre	R0	/metre

ST014



Type: **Cob Strip Lighting - 10w (10m run)**

- Led Strip: 8mm
- IP: 20 (10m Run)
- IP65 (500mm Tail)
- Led: 480 per/m
- Power: 10w per/m
- CRI: > 80
- Cutting: 50mm
- Voltage: 24vdc
- CCT: 3000k; 3500k; 4000k; 5000k; 6000k
- Length: 10m
- Warranty 3 or 5 years

IP20		
	Price	Unit
10M	R770	5m Length
metre	R77	/metre

IP44		
	Price	Unit
10M	R920	5m Length
metre	R92	/metre

ST012




Type: **Cob Strip LED RGB - 15w**

- Led Strip: 10mm
- IP: 20 or 65
- Led: 480 per/m
- Power: 15w per/m
- CRI: > 90
- Cutting: 50mm
- Voltage: 24vdc
- Colour: RGB
- Length: 5m or 10m
- Warranty 5 years

IP20		
	Price	Unit
5m	R700	5m Length
metre	R140	/metre

IP65		
	Price	Unit
5m	R900	5m Length
metre	R180	/metre

ST013



Type: **LED Dual Cob Strip - 22w**

- Led Strip: 10mm
- IP: 20 or 65
- Led: 608 per/m
- Power: 22w per/m - 11w/11w
- CRI: > 80
- Cutting: 25mm
- Voltage: 24vdc
- CCT: 2700k - 3500k
- Length: 5m
- Warranty 3 or 5 years

IP20		
	Price	Unit
5m	R600	5m Length
metre	R120	/metre

IP65		
	Price	Unit
5m	R800	5m Length
metre	R160	/metre

ST024



Type: **LED Cob Strip RGBCW - 25w**

- Led Strip: 12mm
- IP: 20
- Led: 840D per/m
- Power: 25w per/m
- CRI: > 80
- Cutting: 41.66mm
- Voltage: DC24C
- CCT: Red; Blue; Green; 3000k; 6000k
- Length: 10m
- Warranty 5 years

IP20

	Price	Unit
5m	R1150	5m Length
metre	R230	/metre


ST020



Vertical Left to Right

Type: **Neon Strip Lighting - 7w**

- Led Strip: Height 10mm x Width 4mm
- IP: 65
- Power: 7w per/m
- CRI: > 80
- Cutting: 5cm
- Voltage: 24vdc
- CCT: 3000k - 6500k
- Length: 1- 10m
- Warranty 3 year outdoor or 5 years indoor
- Length: Over 10m - No Warranty
- Use with 24v DC CCT Dimmable Driver



IP65

	Price	Unit
5m	R700	5m Length
metre	R140	/metre


ST021



Vertical Left to Right

Type: **Neon Strip Lighting - 9w**

- Led Strip: Height 12mm x Width 6mm
- IP: 65
- Power: 9w per/m
- CRI: > 80
- Cutting: 5cm
- Voltage: 24vdc
- CCT: 3000k - 6500k
- Length: 1-10m
- Warranty 3 year outdoor or 5 years indoor
- Lengths: Over 10m No Warranty



IP65

	Price	Unit
5m	R700	5m Length
metre	R140	/metre


ST022



Horizontal Up and Down

Type: **Neon Strip Lighting - 9w**



- Led Strip: Width 10mm x Height 5mm
- IP: 65
- Power: 9w per/m
- CRI: > 80
- Cutting: 25cm
- Voltage: 24vdc
- CCT: 3000k - 5000k
- Length: 5m
- Warranty 3 year outdoor or 5 years indoor
- Length: Over 10m No Warranty



IP65

	Price	Unit
5m	R700	5m Length
Metre	R140	/metre

ST023-ROPE




360° Flexible Neon Nylon Rope - IP65

- Led Rope: 20mm no Cover with Cover 24mm
- IP: 65
- Led 240/m
- Power: 20w per Meter
- CRI: > 80
- Cutting: 30mm
- Voltage: 24vdc
- CCT: 3000k;4000;6000k
- Emitting Colour: Blue; Red; Green; RGB; Cool White; Warm White; Natural White
- Length: 5m
- Warranty 3 or 5 years

IP65

	Price	Unit
5m	R0	5m Length
metre	R0	/metre



ST023-JR



NYLON ROPE JOINERS

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST023-JR	Nylon Rope Joiners	NYLON ROPE		R0.00 per set

ST023-CB



CEILING MOUNT BRACKET -NYLON ROPE

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST023-CB	Ceiling Mount Bracket Nylon Rope	NYLON ROPE		R0.00 Each

ST023-WB



CEILING MOUNT BRACKET SET - NYLON ROPE

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST023-SR	Wall Mount Bracket Nylon Rope Set	NYLON ROPE		R0.00 P/Set

ST024-12-PE



6 PIN RGBCW POWER JOINER - 12MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST024-12-PE	6 PIN RGBCW POWER JOINER 12MM	12MM RGBCW	MAX 6Amp	R150 Per Pack of 10


ST024-12-LJ



6 PIN RGBCW L JOINER - 12MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST024-12-LJ	6 PIN RGBCW L JOINER 12MM	12MM COB	MAX 6Amp	R150 Per Pack of 10

ST024-12-SJ



6 PIN RGBCW STRAIGHT JOINER - 12MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST024-12-SJ	6 PIN RGBCW STRAIGHT JOINER 12MM	12MM RGBCW	MAX 6Amp	R80 Per Pack of 10

ST013-10-PE



3 PIN DUAL COB POWER JOINER- 10MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST013-10-PE	3 PIN DUAL POWER JOINER 10MM	10MM COB	MAX 6Amp	R90.00 Per Pack of 10


ST012-10-PE



4 PIN RGB POWER 10MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST012-19-PE	4 PIN RGB POWER JOINER 10MM	10MM COB	MAX 6Amp	R120.00 Per Pack of 10

ST012-10-TJ



4 PIN RGB T JOINER 10MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST012-10-TJ	4 PIN RGB T-JOINER 10MM	10MM COB	MAX 6Amp	R180.00 Per Pack of 10

ST012-10-SJ



4 PIN STRAIGHT JOINER 10MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST012-10-SJ	4 PIN STRAIGHT JOINER 10MM	10MM RGB	MAX 6Amp	R100.00 Per Pack of 10

ST012-10-LJ



4 PIN RGB L JOINER 10MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST012-10-LJ	RGB L JOINER 10MM	10MM COB	MAX 6Amp	R110.00 Per Pack of 10

ST011-8-PE1



2 PIN DUAL POWER JOINER 10MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST011-8-PE1	2 PIN DUAL POWER JOINER 8MM	8MM COB	MAX 6Amp	R100.00 Per Pack of 10


ST011-8-PE2



2 PIN POWER JOINER 8MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST011-8-PE2	2 PIN POWER JOINER 8MM	8MM CO	MAX 6Amp	R90.00 Per Pack of 10

ST011-8-SJ1



2 PIN STRAIGHT JOINER 8MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST011-8-SJ1	2 PIN STRAIGHT JOINER 8MM	8MM COB	MAX 6Amp	R65.00 Per Pack of 10

ST011-8-LJ1



2 PIN L JOINER 8MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST011-8-LT1	2 PIN L JOINER 8MM	8MM COB	MAX 6Amp	R100.00 Per Pack of 10

ST011-8-LJ2



2 PIN L JOINER CLIP 8MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST011-8-LJ2	2 PIN L JOINER CLIP 8MM	8MM COB	MAX 6Amp	R80.00 Per Pack of 10

ST011-8-SJ2



2 PIN STRAIGHT CLIP JOINER 8MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST011-8-SJ2	2 PIN STRAIGHT CLIP JOINER 8MM	8MM STRIP	MAX 6Amp	R60.00 Per Pack of 10

ST007-5-PE



2 PIN POWER 5MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST007-5-PE	2 PIN POWER JOINER 5MM	5MM	MAX 6Amp	R90.00 Per Pack of 10

ST007-5-SJ



2 PIN STRAIGHT JOINER 5MM

MODEL	PRODUCT INFO	COMPATIBLE	OUTPUT CURRENT	PRICE
ST007-5-SJ	2 PIN STRAIGHT JOINER 5MM	5MM	MAX 6Amp	R65.00 Per Pack of 10

LR250-EX



Colours




Aluminium Extrusion and Lens

- Sizing available:
- *3000*14*8mm
- *3600*14*8mm
- Colour: Anodised Silver

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion S	R140	3m Length
Extrusion L	R168	3.6m Length
End Caps	R6	/pair - LR250-EC
Clips	R3	each - LR250-C

LR260-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*17*8.2mm
- Colour: Anodised Silver

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R125	3m Length
End Caps	R5	/pair - LR260-EC
End Caps Hole	R	/pair - LR260-ECH
Clips	R3	each - LR260-C

LR241-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*17*15.5mm
- Colour: Anodised Silver

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial Applications
- Signage



	Price	Unit
Extrusion	R210	3m Length
End Caps	R6	/pair - LR241-EC
Clips	R3	each - LR241-C

LR261-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*20*20mm
- Colour: Anodised Silver

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R240	3m Length
End Caps	R6	/pair - LR261-EC
End Caps Hole	R	/pair - LR261-ECH
Clips	R3	each - LR261-C

Strip Lighting

LR251-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*35*35mm
- Colour: Raw Aluminium

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R640	3m Length
End Caps	R30	/pair - LR251-EC
Surface Mount Clip	R15	each - LR251-C
Suspension kit	R85	each - LR251-H

LR203-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*39*9mm
- Colour: Anodised Silver

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R280	3m Length
End Caps	R9	/pair - LR203-EC
Clips	R5	each - LR203-C

LR248-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*50*55mm
- Colour: Raw Aluminium

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R1 250	3m Length
End Caps	R35	/pair - LR248-EC
Surface Mount Clip	R15	each - LR248-C
Suspension Kit	R85	each - LR248-H

LR244-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*50*70mm
- Colour: Raw Aluminium

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R1 250	3m Length
End Caps	R35	/pair - LR244-EC
Surface Mount Cli	R15	each - LR244-C
Suspension Kit	R85	each - LR244-H
L Shape	R560	each - LR244-L

LR255-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*75*75mm
- Colour: Anodised Silver, Black or White

Type: Surface Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R0	3m Length
End Caps	R0	/pair - LR255-EC
Surface Mount Clip	R0	each - LR255-C
Suspension Kit	R0	each - LR255-H

LR253-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*14*8mm
- Colour: Anodised Silver

Type: Surface Round Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R115	3m Length
End Caps	R8	/pair - LR253-EC

LR209-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*19*15mm
- Colour: Anodised Silver

Type: Surface Round Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R200	3m Length
End Caps	R8	/pair - LR209-EC
Surface Clip	R4	each - LR209-C

LR207-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*40*38mm
- Colour: Anodised Silver

Type: Surface Round Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R330	3m Length
End Caps	R18	/pair - LR207-EC
Clips	R13	each - LR207-C
Suspension Kit	R85	each - LR207-H

LR252-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*22*7mm
- Colour: Anodised Silver

Type: Recessed Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



Price

	Price	Unit
Extrusion	R150	3m Length
End Caps	R8	/pair - LR252-EC
Clips	R4	each - LR252-C

LR242-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*25*16mm
- Colour: Anodised Silver

Type: Recessed Mount Extrusion

Applications

- Retail Lighting
- Commercial Applications
- Signage



	Price	Unit
Extrusion	R240	3m Length
End Caps	R8	/pair - LR242-EC
Clips	R4	each - LR242-C

LR263-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*36*26mm
- Colour: Anodised Silver

Type: Recessed Mount Extrusion

Applications

- Retail Lighting
- Commercial Applications
- Signage



	Price	Unit
Extrusion	R0	3m Length
End Caps	R0	/pair - LR242-EC
Clips	R0	each - LR242-C

LR262-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*27*20mm
- Colour: Anodised Silver

Type: Recessed Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R270	3m Length
End Caps	R6	/pair - LR262-EC

LR246A-EX-35



Colours




Type: Aluminium Extrusion and Lens

- Size: 3000*50(35)*34mm
- Colour: Raw Aluminium

Type: Recessed Mount Extrusion

Applications

- Office Lighting
- Retail Lighting
- Commercial applications



	Price	Unit
Extrusion	R780	3m Length
End Caps	R40	/pair - LR246A-EC
Clips	R15	each - LR246A-C

LR246B-EX-50



Colours




Aluminium Extrusion and Lens

- Size: 3000*64(50)*35mm
- Colour: Raw Aluminium

Type: Recessed Mount Extrusion

Applications

- Office Lighting
- Retail Lighting
- Commercial applications



	Price	Unit
Extrusion	R980	3m Length
End Caps	R40	/pair - LR246B-EC
Clips	R15	each - LR246B-C

LR246C-EX-75



Colours




Aluminium Extrusion and Lens

- Size: 3000*89(75)*35mm
- Colour: Raw Aluminium

Type: Recessed Mount Extrusion

Applications

- Office Lighting
- Retail Lighting
- Commercial applications



	Price	Unit
Extrusion	R980	3m Length
End Caps	R40	/pair - LR246C-EC
Clips	R15	each - LR246C-C

LR246D-EX-100



Colours




Aluminium Extrusion and Lens

- Size: 3000*118(102)*35mm
- Colour: Raw Aluminium

Type: Recessed Mount Extrusion

Applications

- Office Lighting
- Retail Lighting
- Commercial applications



	Price	Unit
Extrusion	R980	3m Length
End Caps	R40	/pair - LR246D-EC
Clips	R15	each - LR246D-C

LR204-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*80*16mm
- Colour: Anodised Silver, Black or White

Type: Skirting Extrusion


Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R1050	3m Length
End Caps	R30	/pair - LR204-EC

LR205-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*65*28mm
- Colour: Anodised Silver

Type: Stair/Steps Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R865	3m Length
End Caps	R7	/pair - LR205-EC

LR208-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*21*26mm
- Colour: Anodised Silver, Black or White

Type: Floor Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R479	3m Length
End Caps	R10	/pair - LR208-EC

LR243-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*16*16mm
- Colour: Anodised Silver

Type: Corner Mount Extrusion

Applications

- Retail Lighting
- Commercial Applications
- Signage



	Price	Unit
Extrusion	R160	3m Length
End Caps	R8	/pair - LR243-EC
Clips	R4	each - LR243-C

LR206-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*70*70mm
- Colour: Anodised Silver

Type: Cornice Lighting Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R1200	3m Length
End Caps	R30	/pair - LR206-EC

LR202-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*28.5 (12)*15mm
- Colour: Anodised Silver

Type: Rail Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R360	3m Length
End Caps	R20	/pair - LR202-EC
Suspension Kit	R30	each - LR202-C

LR212-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*36*18mm
- Colour: Anodised Silver, Black or White

Type: Wall Up or Down Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R600	3m Length
End Caps	R15	/pair - LR212-EC
Surface Mount Cli	R10	each - LR212-C

LR213-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*32 (10.5)*15.5mm
- Colour: Anodised Silver, Black or White

Type: Wall Surface Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R140	3m Length
End Caps	R10	/pair - LR213-EC

LR215-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*50*73*10mm
- Colour: Anodised Silver, Black or White

Type: Wall Mounted

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R900	3m Length
End Caps	R30	/pair - LR290-EC

LR216-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*42.5*90mm
- Colour: Anodised Silver, Black or White

Type: Wall Mounted

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R1170	3m Length
End Caps	R0	/pair - LR291-EC

LR214-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*33*14.5mm
- Colour: Anodised Silver, Black or White

Type: Drywall Seamless light one sided

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R365	3m Length
End Caps	R6	/pair - LR214-EC

LR200-EX



Colours




Type: Aluminium Extrusion and Lens

- Size: 3000*52.5*(13)*14mm
- Colour: Anodised Silver

Type: Recessed Seamless Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R365	3m Length
End Caps	R6	/pair - LR200-EC

LR201-EX



Colours




Type: Aluminium Extrusion and Lens

- Size: 3000*50.3 (10.5) *23mm
- Colour: Anodised Silver

Type: Recessed Mount Extrusion

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R420	3m Length
End Caps	R6	/pair - LR201-EC

LR210W-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*58*13mm - Recessed 20mm
- Colour: Anodised Silver, Black or White

Type: Recessed Seamless Pre-Embedded Bending

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R495	3m Length

LR210S-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*52*13mm - Recessed 15mm
- Colour: Anodised Silver, Black or White

Type: Recessed Seamless Pre-Embedded Bending


Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R495	3m Length

LR211-EX



Colours




Aluminium Extrusion and Lens

- Size: 3000*58*12mm
- Colour: Anodised Silver, Black or White

Type: Recessed Seamless Pre-Embedded bending

Applications

- Retail Lighting
- Commercial applications
- Signage



	Price	Unit
Extrusion	R495	3m Length

LIFUD DRIVER CONSTANT VOLTAGE 24VDC

DR - LIFUD-LV



Model	Max. Output Power	Input Voltage Range	Output Voltage	DIMMABLE	PF (Typical)	Dimensions L*W*Hmm	Price
DR-24-45-LV	45w	220-240V	24V	Non Dimmable	0.95(230Vac)	251*30.7*19	R255,00
DR-24-75-LV	75w			Non Dimmable		316*30.7*22.8	R346,00
DR-24-100-LV	100w			Non Dimmable		316*30.7*22.8	R447,00
DR-24-150-LV	150w			Non Dimmable		336*30.7*22.8	R525,00
DR-24-240-LV	240w			Non Dimmable		361*33.1*22.8	R680,00

LIFUD - DALI - CCT - TRIAC DRIVER CONSTANT VOLTAGE 24VDC

DR -24- LIFUD



Model	Max. Output Power	Input Voltage Range	Output Voltage	DIMMABLE	PF (Typical)	Dimensions L*W*Hmm	Price
DR-24-75-DALI	75w	220-240V	24V	Dali		300*42*30	R599,00
DR-24-75-DALI	150w			Dali		360*42*30	R785,00
DR-24-75-CCT-D	75w			Dali CCT		360*42*30	R780,00
DR-24-150-CCT-D	150w			Dali CCT		360*42*30mm	R960,00
DR-24-150RGBW	150w			Dali Driver		360*42*30mm	R1400,00
DR-24-75-TRIAC	75W			TriacDriver		290*42*30mm	R640,00
DR-24-150-TRIAC	150W			Traic Driver		360*42*30mm	R736,00

DALI - Dimmable Single Colour
CCT - Dimmable CCT

DR-LV-FMR



LUFUD LED DRIVER - FMR SERIES

Model	Max. Output Power	Dimension L*W*H	OUTPUT CURENT	Input Voltage Range	Output Voltage	PF (Typical)	Price
DR-FMR040	40W	168*30*21mm	200-350mA	220-240Vac	12V/24V/48V	0.95 (230Vac)	R0,00
DR-FMR060	60W	210*30*21mm	200-350mA				R0,00
DR-FMR080	80W	210*30*21mm	200-550mA				R0,00
DR-FMR120	120W	280*30*21mm	300-750mA				R0,00
DR-FMR150	150W	280*30*21mm	TBA				R0,00

DR-36-TRIAC



LUFUD LED DRIVER - ACT SERIES - CONSTANT CURRENT

Model	Max. Output Power	Dimension L*W*H	OUTPUT CURENT	Input Voltage Range	Output Voltage	PF (Typical)	Price
DR-36-TRAIC-LF-350	14W	122*40*25mm	200-350mA	220-240Vac	36V	0.95	R135,00
DR-36-TRAIC-LF-550	20W	122*40*25mm	400-550mA				R185,00
DR-36-TRAIC-LF-750	30W	122*40*25mm	550-750mA				R257,00

TRAIC-DIMMABLE

DR-36-DALI



DALI - FLICKER FREE
DIMMABLE

LUFUD LED DRIVER ADD SERIES- DALI - CONSTANT CURRENT

Model	Max. Output Power	Dimension L*W*H	OUTPUT CURENT	Input Voltage Range	Output Voltage	PF (Typical)	Price
DR-36-DALI-LF-750	30W	mm	400-750mA	220-240Vac	9-42V	0.95	R0.00
DR-36-DALI-LF-1050	40W	mm	700-1050mA				R0.00

DR-24-ML-IP20



With DIP Switch

MOONLIGHT MVD DRIVER CONSTANT VOLTAGE + DIP SWITCH

Model	Max. Output Power	Input Voltage Range	Output Voltage	DIMMING	PF (Typical)	Dimensions L*W*Hmmm	Price
DR-24-36-MVD	36W	175-264V	12V/24V/48V	Dip Switch 25%, 50%, 75%	0.55	130*35*23	R145,00
DR-24-60-MVD	60W					130*35*23	R158,00
DR-24-100-MVD	100W					145*48*24	R245,00
DR-24-150-MVD	150W					195*48*24	R294,00
DR-24-200-MVD	200W					215*48*24	R295,00
DR-24-300-MVD	300W					236*49*29	R490,00
DR-24-400-MVD	400W					236*49*29	R543,00
DR-24-500-MVD	500W					220*62*31	R1104,00

MOONLIGHT DRIVER CONSTANT VOLTAGE

DR-24-ML-IP67



Model	Max. Output Power	Input Voltage Range	Output Voltage	DIMMING	PF (Typical)	Dimensions L*W*Hmmm	Price
DR-24-36-MVIP67	36W	200-277V	12V/24V/48V	NIL	0.67	110*26*21	R154,00
DR-24-60-MVIP67	60W					204*47*21	R213,00
DR-24-100-MVIP67	100W					204*47*21	R279,00
DR-24-150-MVIP67	150W					202*60*19	R374,00
DR-24-200-MVIP67	200W					202*60*19	R409,00
DR-24-300-MVIP67	300W					242*67*23	R565,00
DR-24-400-MVIP67	400W					282*86*24	R623,00
DR-24-500-MVIP67	500W					272*92*37	R1104,00

DR-24-RXG-IP67

DONE



DONE LED DRIVER RXG SERIES

Model	Max. Output Power	Dimension L*W*H	Input Voltage Range	Output Voltage	Output Current	PF (Typical)	Price
DR-24-40RXG	40W	90*63*32mm	100-277V	12V/24V/48V	16.67A	0.95	R200.00
DR-24-60RXG	60W	105*63*32mm					R310.00
DR-24-150RXG	150W	186*63*32mm					R600.00
DR-24-250RXG	250W	199*63*37mm					R840.00

DR - MI



MIBOXER CONTROLLERS

Model	Product Info	Output Voltage	Output Current	Dimensions L*W*H/mm	Price
MI-E3-WR	RGBCW 3 IN 1 CONTROLLER WIFI 2.4GHz	DC12-24V	12 Amp	105*39*17mm	R518,00
MI-HW5	RGBCW 5 IN 1 CONTROLLER WIFI 2.4GHz	DC12-48V	30 Amp	105*39*17mm	R798,00
MI-ML5	RGBCW MATTER + 2 4 5 IN 1 CONTROLLER WIFI 2.4Ghz	DC12-24	12 Amp		R690.00
MI-C8	8 ZONE RGB +CCT REMOTE 2.4GHz				R427.00

CABLES



IP68 WATERPROOF CABLE JOINERS

CABLE JOINERS

Model	Product Info	Output Voltage	PF (Typical)	Price
GLWE-M16-3	3Poles; 24A/400V; Ø9-12MM; 1 in 1 out	24A/400V	IP68	R43.00
GLWE-M20-3		24A/400V		R57,00
GLWE-M25-4-1		40A/400V		R89.00
GLWE-M25-4-2	3Poles; 24A/400V; Ø9-12MM; 1 in 2 out	40A/400V		R89.00
GLWE-M25-4-3	3Poles; 24A/400V; Ø9-12MM; 1 in 3 out	40A/400V		R89.00
GLWE-M25-4-3	3Poles; 24A/400V; Ø9-12MM; 1 in 4 out	40A/400V		R89.00



LED RSA

LED LIGHTING MANUFACTURER



STRIP LIGHTING

EXTRUSIONS

DRIVERS

EXTRAS